

Range Features

- Value for money.
- Easy retrofit for your bathroom and kitchen fixture.
- Energy saving incandescent retrofit LED lamp for shaver lighting and mirror lighting.
- Low power consumption to maximise energy saving potential.
- 15'000 hours life reducing maintenance costs.
- Existing in different length and caps (S15s,S19,S14s,S14d).
- 3 Year warranty.

PRODUCT OVERVIEW

Lamp finish	frosted
Lamp shape	Striplight
Colour temperature (K)	2700
CRI (Ra)	80
Dimmable	no
EAN code	5410288268521
Energy class	A+
Equivalent watt (W)	60
Cap/Base	S14s
Туре	ToLEDo Striplight
Watt (Nominal) (W)	5
Light colour	827 Homelight
Ordering number	0026852
Efficacy (Rated) (lm/w)	84
Average life (Rated) (h)	15000
Luminous flux (Rated) (lm)	420
Technology	LED
Voltage (V)	220-240
Colour consistency (SDCM)	6

DATA TABLE

General data	
Average life (Nominal) (h)	15000
Control gear required	No
Lamp finish	frosted
Lamp shape	Striplight
Control gear availability	No
Dimmable	no
EAN code	5410288268521



Energy class	A+	
General application	Hospitality; Residential & Consumer	
Intended purpose	General lighting	
Cap/Base	S14s	
Lamp mercury content (mg)	0	
Туре	ToLEDo Striplight	
No. of switching cycles before premature failure (min)	50000	
Optimal operating condition (°C)	25	
Ordering number	0026852	
Range features	 Value for money. Easy retrofit for your bathroom and kitchen fixture. Energy saving incandescent retrofit LED lamp for shaver lighting and mirror lighting. Low power consumption to maximise energy saving potential. 15'000 hours life reducing maintenance costs. Existing in different length and caps (S15s,S19,S14s,S14d). 3 Year warranty. 	
Product name	ToLEDo ST V2 500mm 5W 420lm S14s	
Average life (Rated) (h)	15000	
Special purpose lamp	No	
Starting time (max) (s)	0.05	
Technology	LED	
Transformer required	No	
Warm-up time to 60% of full light (max) (s)	< 1s => 60%	

Optical data

Colour temperature (K)	2700
CRI (Ra)	80
Light colour	827 Homelight
Lumen maintenance at end of nominal life (%)	70
Luminous flux (Nominal) (lm)	420
Luminous flux (Rated) (lm)	420
Suitable for accent lighting	no
Adjustable chromaticity	no
Colour consistency (SDCM)	6
Electrical data	

Current (A)	42
Equivalent watt (W)	60
kWh per 1000 hours burning time	5
Lamp power factor	0.5
Watt (Nominal) (W)	5



Efficacy (Rated) (lm/w)	84
Watt (Rated) (W)	5
Voltage (V)	220-240
Physical data	
Max. Lamp Diameter (mm) - D	26
Lamp Length (mm) - C/L	500
Lamp dimension equal to filament lamp equivalent	yes
Designed for optimum use in non standard conditions	No
Fluorescent lamp replacement	no

TECHNICAL DRAWINGS





С ЕNE енергия • є	RG Υ ΙJΑ ΙΕ ΙΑ νεργεια
SYLVANIA	0026852
A ⁺⁺ A ⁺ A B C	A
E	
5 kWł	n/1000h